



# **C.O.S.H.H. INFORMATION**

**Relates to Part/Product number(s):  
VPKITBLACK1**

**PLEASE NOTE THAT THIS  
DOCUMENT COMPRISES OF MORE  
THAN ONE C.O.S.H.H. SHEET**

**Relates to Sheet number(s):  
SDS00350**

**THIS DOCUMENT IS COMPRISED  
OF MORE THAN ONE PRODUCT  
AS THE ITEMS ARE NORMALLY  
SOLD TOGETHER...  
(eg: Resins & Hardeners)**



# SAFETY DATA SHEET

AUTOFRESH

Page 1

Issued: 13/01/2005

Revision No: 2

## 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

**Product name:** AUTOFRESH  
**Product code:** STD/AL10  
**Company name:** AUTOGLYM  
Works Road  
Letchworth  
Herts  
SG6 1LU  
UK  
Tel: +44 (0) 1462 677766  
Fax: +44 (0) 1462 677712  
Emergency tel: +44 (0) 1462 489498 (24Hrs)  
Email: sds@autoglym.co.uk

## 2. HAZARDS IDENTIFICATION

**Workplace exposure limit:** This substance does not have a workplace exposure limit.  
**PBT:** This substance is not identified as a PBT substance.  
**Directive 1999/45/EC:** This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** ETHANOL 1-10%  
EINECS: 200-578-6 CAS: 64-17-5  
[F] R11

## 4. FIRST AID MEASURES

**Skin contact:** Wash immediately with plenty of soap and water.  
**Eye contact:** Bathe the eye with running water for 15 minutes.  
**Ingestion:** Wash out mouth with water. Do not induce vomiting.  
**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

## 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.  
**Exposure hazards:** In combustion emits toxic fumes.  
**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for disposal considerations.

## 7. HANDLING AND STORAGE

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Hazardous ingredients:** ETHANOL  
UK - 8 hour TWA: 1920 mg/m<sup>3</sup>

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Nitrile gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**State:** Liquid

**Colour:** Orange-brown

**Solubility in water:** Highly soluble

**Viscosity:** Viscous

**Kinematic visc. 40°C (mm<sup>2</sup>/s):** 150

**Viscosity test method:** Flow time in seconds in a 3 mm ISO cup (ISO 2431)

**Flash point°C:** >100

**Relative density:** 1.036

**pH:** 6.8

## 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

## 11. TOXICOLOGICAL INFORMATION

### 11. TOXICOLOGICAL INFORMATION (SYMPTOMS)

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

## 12. ECOLOGICAL INFORMATION

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

## 13. DISPOSAL CONSIDERATIONS

**Waste code number:** 070601

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## 14. TRANSPORT INFORMATION

### ADR / RID

**UN no:** Not Classified.

### IMDG / IMO

**UN no:** Not Classified.

### IATA / ICAO

**UN no:** Not Classified.

## 15. REGULATORY INFORMATION (CHIP)

**Hazard symbols:** No significant hazard.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

## 16. OTHER INFORMATION

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Risk phrases used in s.3:** R11: Highly flammable.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



**SAFETY DATA SHEET**  
BODYWORK SHAMPOO CONDITIONER

Page 1  
Issued: 09/07/09  
Revision No: 9

**1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING**

**Product name:** BODYWORK SHAMPOO CONDITIONER  
**Product code:** BSC/RW178/080709  
**Company name:** AUTOGLYM  
Works Road  
Letchworth  
Herts  
SG6 1LU  
UK  
Tel: +44 (0) 1462 677766  
Fax: +44 (0) 1462 677712  
Emergency tel: +44 (0) 1462 489498 (24Hrs)  
Email: sds@autoglym.co.uk

**2. HAZARDS IDENTIFICATION**

**Workplace exposure limit:** This substance does not have a workplace exposure limit.  
**PBT:** This substance is not identified as a PBT substance.  
**Directive 1999/45/EC:** This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

**Hazardous ingredients:** ALKYL AMIDO BETAINE 1-10%  
EINECS: 263-058-8 CAS: 61789-40-0  
[Xi] R36

- ALKYL POLYGLYCOSIDE 1-10%  
CAS: 110615-47-9  
[Xi] R36/38
- SODIUM LAURYL ETHER SULPHATE 1-10%  
EINECS: 500-223-8 CAS: 68585-34-2  
[Xi] R36/38

**4. FIRST AID MEASURES**

**Skin contact:** Wash immediately with plenty of soap and water.  
**Eye contact:** Bathe the eye with running water for 15 minutes.  
**Ingestion:** Wash out mouth with water.  
**Inhalation:** Consult a doctor.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

[cont...]

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

## 7. HANDLING AND STORAGE

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**State:** Liquid

**Colour:** Green

**Odour:** Characteristic odour

**Solubility in water:** Miscible in all proportions

**Kinematic visc. 40°C (mm<sup>2</sup>/s):** 135

**Viscosity test method:** Flow time in seconds in a 3 mm ISO cup (ISO 2431)

**Relative density:** 1.0065

**pH:** 8.5

## 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

## 11. TOXICOLOGICAL INFORMATION

**11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**12. ECOLOGICAL INFORMATION**

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

**13. DISPOSAL CONSIDERATIONS**

**Waste code number:** 070601

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** Not Classified.

**IMDG / IMO**

**UN no:** Not Classified.

**IATA / ICAO**

**UN no:** Not Classified.

**15. REGULATORY INFORMATION (CHIP)**

**Hazard symbols:** No significant hazard.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Risk phrases used in s.3:** R36: Irritating to eyes.

R36/38: Irritating to eyes and skin.

**SAFETY DATA SHEET**  
BODYWORK SHAMPOO CONDITIONER

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.





**MATERIAL SAFETY DATA SHEET**  
Bumper & Trim Gel

**1. Product And Company Identification**

**Product Name:** Bumper & Trim Gel  
**Product Number:** 39B/STD/LD/14793

**Manufacturer:** Autoglym  
Works Road  
Letchworth  
Herts  
SG6 1LU  
United Kingdom

**Information Phone Number:** +44 (0) 1462 677766  
**Emergency Phone Number:** +1 888 792 9683  
**Date Of Preparation:** 8/12/09  
**Product Use:** Automobile care product-consumer product

**2. Hazards Identification**

**EMERGENCY OVERVIEW  
WARNING!**

Flammable Liquid and Vapor. May cause eye, skin and respiratory irritation. Inhalation of vapors may cause central nervous system effects including dizziness, drowsiness, weakness and unconsciousness. May have chronic health effects.

**3. Composition/Information On Ingredients**

| Component                 | CAS No.                  | Amount |
|---------------------------|--------------------------|--------|
| Petroleum Distillates     | 64742-48-9<br>64742-47-8 | 30-50% |
| Non-Hazardous Ingredients | Mixture                  | 50-70% |

(See Section 8 for Exposure Limits)

**4. First Aid Measures**

**Inhalation:** If symptoms of exposure develop, remove to fresh air. If breathing becomes difficult, administer oxygen. If breathing has stopped, administer artificial respiration. Get medical attention.

**Skin Contact:** Remove contaminated clothing and launder before reuse. Wash exposed skin with soap and water. If skin irritation or redness develops, get medical attention.

**Eye Contact:** Flushed eyes with large amounts of water for 15 minutes. If irritation or other symptoms persist, get medical attention.

**Ingestion:** Get medical assistance by calling an emergency room or poison control center. Do not induce vomiting. If vomiting occurs, keep head below hips to prevent aspiration into the lungs. Never give anything by mouth to a person who is unconscious or drowsy.

# MATERIAL SAFETY DATA SHEET

## Bumper & Trim Gel

### 5. Firefighting Measures

**Extinguishing Media:** Use water fog, foam, carbon dioxide or dry chemical. Cool fire exposed containers with water.

**Special Fire Fighting Procedures:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

**Unusual Fire Hazards:** Flammable liquid. Product may form flammable mixtures at temperatures at or below the flashpoint. Runoff to sewer may cause fire or explosion hazard. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. Closed containers may explode if exposed to extreme heat.

**Hazardous Combustion Products:** Burning may produce carbon monoxide and carbon dioxide, silicone dioxide and formaldehyde.

### 6: Accidental Release Measures

Eliminate all sources of ignition. Ventilate area with explosion proof equipment. Wear appropriate protective clothing and equipment as described in section 8. Scoop up or collect using non-combustible absorbents and place into a suitable container for disposal. Use non-sparking tools and equipment.

### 7. Handling and Storage

Avoid contact with eyes. Avoid prolonged contact with skin and clothing. Avoid breathing vapors. Use with adequate ventilation. Wash exposed skin thoroughly with soap and water after use. Keep container away from excessive heat, sparks and open flames. Keep containers closed when not in use. Do not permit smoking in use or storage areas. Use non-sparking tools and explosion proof equipment. Electrically bond and ground containers for transfer.

Store in a cool, dry, well ventilated area and from heat, sparks, and ignition sources. Store away from oxidizing agents and other incompatible materials.

Empty containers retain product residue and may be hazardous. Do not cut, weld, drill, etc. containers, even empty. Do not reuse empty containers.

### 8. Exposure Controls / Personal Protection

| CHEMICAL              | EXPOSURE LIMIT                                |
|-----------------------|---|
| Petroleum Distillates | 500 ppm TWA OSHA PEL<br>100 ppm TWA ACGIH TLV |

**Ventilation:** General ventilation should be adequate for all normal use. For operations where the TLV may be exceeded, forced ventilation such as local exhaust may be needed to maintain exposures below applicable limits. Use explosion proof equipment where required.

**Respiratory Protection:** None under normal use conditions. For operations where the TLV may be exceeded, a NIOSH approved respirator with an organic vapor cartridge and a dust/mist prefilter or supplied air respirator is recommended. Equipment selection depends on contaminant type and concentration. Select in accordance with 29 CFR 1910.134 and good industrial hygiene practice. For firefighting, use self-contained breathing apparatus.

**Gloves:** Impervious gloves such as nitrile are recommended for prolonged or repeated skin contact.

**Eye Protection:** Safety glasses are recommended if eye contact is possible.

**Other Protective Equipment/Clothing:** Appropriate protective clothing as needed to prevent prolonged/ repeated skin contact. Suitable washing and eye flushing facilities should be available in the work area.

# MATERIAL SAFETY DATA SHEET

Bumper & Trim Gel

## 9. Physical and Chemical Properties

**Appearance And Odor:** Green gel with a characteristic odor.

|  |  |
|--|--|
| <b>pH:</b> Not applicable                                    | <b>Specific Gravity:</b> 0.886           |
| <b>Boiling Point:</b> 293°F (145°C)                          | <b>Vapor Pressure:</b> Not determined    |
| <b>Freezing Point:</b> Not determined                        | <b>Vapor Density:</b> Not determined     |
| <b>Solubility In Water:</b> Insoluble                        | <b>Percent Volatile:</b> >70%            |
| <b>Viscosity:</b> Highly Viscous                             | <b>Evaporation Rate:</b> Not determined  |
| <b>Coefficient Of Water/Oil Distribution:</b> Not determined |  |
| <b>Flash Point:</b> 119.5°F (48.6°C)                         | <b>Autoignition Temp:</b> Not Determined |
| <b>Flammability Limits:</b>                                  | LEL: 0.6% (Petroleum Distillates)        |
|  | UEL: 8.0% (Petroleum Distillates)        |

## 10. Stability and Reactivity

**Stability:** Stable

**Conditions To Avoid:** Keep away from excessive heat, sparks and open flames.

**Incompatibility:** Strong oxidizing agents.

**Hazardous Decomposition Products:** Burning may produce carbon monoxide and carbon dioxide, silicone dioxide and formaldehyde.

**Hazardous Polymerization:** Will not occur.

## 11. Toxicological Information

### Acute Hazards:

**Inhalation:** Inhalation of vapors may cause upper respiratory tract irritation with coughing and sneezing. High vapor concentrations may cause headache, dizziness, weakness, nausea and vomiting

**Skin Contact:** Prolonged contact may cause defatting of the skin and dermatitis.

**Eye Contact:** Direct contact may cause eye irritation with redness, tearing and pain.

**Ingestion:** Swallowing may cause gastrointestinal irritation with nausea, vomiting and diarrhea. Aspiration during swallowing or vomiting may cause chemical pneumonia or lung damage.

**Chronic Hazards:** Prolonged exposure to petroleum distillates may cause damage to the kidneys, liver and blood.

**Medical Conditions Aggravated By Exposure:** Because of its irritation and defatting properties, this product may aggravate an existing dermatitis. Breathing of vapors may aggravate asthma and inflammatory or fibrotic pulmonary disease.

**Carcinogen:** None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH or OSHA.

### Acute Toxicity Values:

Petroleum Distillates:     LD50 Oral Rat: >5,000 mg/kg  
                                  LD50 Skin Rabbit: >3,000 mg/kg

Petroleum hydrocarbons of similar compositions and boiling ranges have been known to produce kidney damage and tumors in male rats following inhalation exposures.

# MATERIAL SAFETY DATA SHEET

Bumper & Trim Gel

## 12. Ecological Information

Petroleum Distillates: 96 hr LC50 fish >100 mg/L

## 13. Disposal Considerations

Dispose of in accordance with all local, state/provincial and federal regulations.

## 14. Transport Information

### DOT Hazardous Materials Description:

Proper Shipping Name: Not regulated in non-bulk packaging (49 CFR 173.150 (f)) for transportation via road or rail.

UN Number: None

Hazard Class/Packing Group: None

Labels Required: None

### Canadian TDG Materials Description:

Proper Shipping Name: Not regulated in small means of containment when transported via road or rail.

UN Number: None

Hazard Class/Packing Group: None

Labels Required: None

## 15. Regulatory Information

### United States:

**CERCLA Section 103:** This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**SARA Hazard Category (311/312):** Acute Health, Chronic Health, Fire Hazard

**SARA 313:** This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

**California Proposition 65:** This product contains the following substances known to the State of California to cause cancer and/or reproductive harm (birth defects): Benzene (cancer, developmental toxicity, male reproductive toxicity) (<0.015%)

**EPA TSCA Inventory:** All of the ingredients in this product are listed on the EPA TSCA Inventory.

### Canada:

**Canadian WHMIS Classification:** Class D - Division 2 - Subdivision B - (Toxic material causing other toxic effects);  
Class B - Division 3 (Combustible Liquid)

**Canadian Environmental Protection Act:** All of the ingredients are listed on the Canadian Domestic Substances List.

This MSDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the MSDS contains all of the information required by the CPR.

## 16. Other Information

|                         |           |         |                |
|-------------------------|-----------|---------|----------------|
| NFPA Rating (NFPA 704): | Health: 2 | Fire: 2 | Instability: 0 |
| HMIS Rating:            | Health: 2 | Fire: 2 | Reactivity: 0  |

REVISION SUMMARY: New MSDS



**SAFETY DATA SHEET**  
CUSTOM WHEEL CLEANER

Page 1  
Issued: 10/07/09  
Revision No: 2

**1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING**

**Product name:** CUSTOM WHEEL CLEANER

**Product code:** AFWC/1259/140509

**Use of substance / mixture:** Detergent for use on motor vehicle wheels

**Company name:** AUTOGLYM

Works Road

Letchworth

Herts

SG6 1LU

UK

Tel: +44 (0) 1462 677766

Fax: +44 (0) 1462 677712

Emergency tel: +44 (0) 1462 489498 (24Hrs)

Email: sds@autoglym.co.uk

**2. HAZARDS IDENTIFICATION**

**Classification under CHIP:** Irritating to eyes and skin.

**Workplace exposure limit:** This substance does not have a workplace exposure limit.

**PBT:** This substance is not identified as a PBT substance.

**Directive 1999/45/EC:** This mixture meets the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

**Hazardous ingredients:** DISODIUM METASILICATE 1-10%

EINECS: 229-912-9 CAS: 6834-92-0

[C] R34; [Xi] R37

- ALKYL AMIDO BETAINE 1-10%

EINECS: 263-058-8 CAS: 61789-40-0

[Xi] R36

- C9-11 ALCOHOL ETHOXYLATE 1-10%

CAS: 68439-45-2

[Xn] R22; [Xi] R41

- AMINE OXIDE <1%

CAS: 68478-65-9

[-] R10; [Xi] R38; [Xi] R41; [-] R52

- PROPYLENE GLYCOL MONOBUTYL ETHER 1-10%

EINECS: 249-598-7 CAS: 29387-86-8

[-] R10; [Xi] R36/38

[cont...]

**4. FIRST AID MEASURES**

- Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
- Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
- Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.
- Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

**5. FIRE-FIGHTING MEASURES**

- Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
- Exposure hazards:** In combustion emits toxic fumes.
- Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.
- Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.
- Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for disposal considerations.

**7. HANDLING AND STORAGE**

- Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.
- Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

- Engineering measures:** Ensure there is sufficient ventilation of the area.
- Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.
- Hand protection:** Nitrile gloves.
- Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.
- Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- State:** Liquid
- Colour:** Blue

**Solubility in water:** Highly soluble

**Relative density:** 1.02

**pH:** 13.39

## 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

## 11. TOXICOLOGICAL INFORMATION

**Acute effects:** Irritating to eyes and skin.

### 11. TOXICOLOGICAL INFORMATION (SYMPTOMS)

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

## 12. ECOLOGICAL INFORMATION

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

## 13. DISPOSAL CONSIDERATIONS

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Waste code number:** 070601

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## 14. TRANSPORT INFORMATION

### ADR / RID

**UN no:** Not Classified.

**IMDG / IMO****UN no:** Not Classified.**IATA / ICAO****UN no:** Not Classified.**15. REGULATORY INFORMATION (CHIP)****Hazard symbols:** Irritant.**Risk phrases:** R36/38: Irritating to eyes and skin.**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**16. OTHER INFORMATION****Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Risk phrases used in s.3:** R34: Causes burns.  
R37: Irritating to respiratory system.  
R36: Irritating to eyes.  
R22: Harmful if swallowed.  
R41: Risk of serious damage to eyes.  
R10: Flammable.  
R38: Irritating to skin.  
R52: Harmful to aquatic organisms.  
R36/38: Irritating to eyes and skin.**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.





## SAFETY DATA SHEET

FAST GLASS

Page 1

Issued: 02/12/2004

Revision No: 5

### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

**Product name:** FAST GLASS

**Product code:** NO49/NA/5897

**Use of substance / mixture:** Cleaner for use on motor vehicle windscreens, mirrors and windows.

**Company name:** AUTOGLYM

Works Road

Letchworth

Herts

SG6 1LU

UK

Tel: +44 (0) 1462 677766

Fax: +44 (0) 1462 677712

Emergency tel: +44 (0) 1462 489498 (24Hrs)

Email: sds@autoglym.co.uk

### 2. HAZARDS IDENTIFICATION

**Workplace exposure limit:** This substance does not have a workplace exposure limit.

**PBT:** This substance is not identified as a PBT substance.

**Directive 1999/45/EC:** This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** PROPYLENE GLYCOL MONOBUTYL ETHER 1-10%

EINECS: 249-598-7 CAS: 29387-86-8

[-] R10; [Xi] R36/38

- PROPAN-2-OL 1-10%

EINECS: 200-661-7 CAS: 67-63-0

[F] R11; [Xi] R36; [-] R67

### 4. FIRST AID MEASURES

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** Consult a doctor.

### 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**Exposure hazards:** In combustion emits toxic fumes.

[cont...]

**SAFETY DATA SHEET**

FAST GLASS

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for disposal considerations.

**7. HANDLING AND STORAGE**

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Hazardous ingredients:** PROPAN-2-OL  
UK - 8 hour TWA: 999 mg/m<sup>3</sup>  
UK - 15 min. STEL: 1250 mg/m<sup>3</sup>

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Nitrile gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Liquid

**Colour:** Turquoise

**Odour:** Alcoholic

**Solubility in water:** Highly soluble

**Kinematic visc. 40°C (mm<sup>2</sup>/s):** 23

**Viscosity test method:** Flow time in seconds in a 3 mm ISO cup (ISO 2431)

**Flash point°C:** 53

**Relative density:** 0.995

**pH:** 9.2

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION****11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**12. ECOLOGICAL INFORMATION**

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

**13. DISPOSAL CONSIDERATIONS**

**Waste code number:** 070601

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** Not Classified.

**IMDG / IMO**

**UN no:** Not Classified.

**IATA / ICAO**

**UN no:** Not Classified.

**15. REGULATORY INFORMATION (CHIP)**

**Hazard symbols:** No significant hazard.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

## SAFETY DATA SHEET

FAST GLASS

**Risk phrases used in s.3:** R10: Flammable.  
R36/38: Irritating to eyes and skin.  
R11: Highly flammable.  
R36: Irritating to eyes.  
R67: Vapours may cause drowsiness and dizziness.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



**SAFETY DATA SHEET**  
INSTANT TYRE DRESSING

Page 1  
Issued: 03/12/2004  
Revision No: 4

**1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING**

**Product name:** INSTANT TYRE DRESSING  
**Product code:** ITD/98-2/13701  
**Company name:** AUTOGLYM  
Works Road  
Letchworth  
Herts  
SG6 1LU  
UK  
Tel: +44 (0) 1462 677766  
Fax: +44 (0) 1462 677712  
Emergency tel: +44 (0) 1462 489498 (24Hrs)  
Email: sds@autoglym.co.uk

**2. HAZARDS IDENTIFICATION**

**Workplace exposure limit:** This substance does not have a workplace exposure limit.  
**PBT:** This substance is not identified as a PBT substance.  
**Directive 1999/45/EC:** This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

**4. FIRST AID MEASURES**

**Skin contact:** Wash immediately with plenty of soap and water.  
**Eye contact:** Bathe the eye with running water for 15 minutes.  
**Ingestion:** Wash out mouth with water. Do not induce vomiting.  
**Inhalation:** Consult a doctor.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.  
**Exposure hazards:** In combustion emits toxic fumes.  
**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.  
**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.  
**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage

[cont...]

container for disposal by an appropriate method. Refer to section 13 of SDS for disposal considerations.

**7. HANDLING AND STORAGE**

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Nitrile gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Liquid

**Colour:** White

**Solubility in water:** Highly soluble

**Kinematic visc. 40°C (mm<sup>2</sup>/s):** 25

**Viscosity test method:** Flow time in seconds in a 3 mm ISO cup (ISO 2431)

**Relative density:** 0.95

**pH:** 8

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION****11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**12. ECOLOGICAL INFORMATION**

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

### 13. DISPOSAL CONSIDERATIONS

**Waste code number:** 070601

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### 14. TRANSPORT INFORMATION

#### ADR / RID

**UN no:** Not Classified.

#### IMDG / IMO

**UN no:** Not Classified.

#### IATA / ICAO

**UN no:** Not Classified.

### 15. REGULATORY INFORMATION (CHIP)

**Hazard symbols:** No significant hazard.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

### 16. OTHER INFORMATION

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



**SAFETY DATA SHEET**  
INTERIOR SHAMPOO

Page 1  
Issued: 10/07/09  
Revision No: 8

**1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING**

**Product name:** INTERIOR SHAMPOO  
**Product code:** NO4/GL38/181108  
**Company name:** AUTOGLYM  
Works Road  
Letchworth  
Herts  
SG6 1LU  
UK  
Tel: +44 (0) 1462 677766  
Fax: +44 (0) 1462 677712  
Emergency tel: +44 (0) 1462 489498 (24Hrs)  
Email: sds@autoglym.co.uk

**2. HAZARDS IDENTIFICATION**

**Workplace exposure limit:** This substance does not have a workplace exposure limit.  
**PBT:** This substance is not identified as a PBT substance.  
**Directive 1999/45/EC:** This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

**Hazardous ingredients:** SODIUM ALKYL ETHER SULPHATE <1%  
CAS: 13150-00-0  
[Xi] R38; [Xi] R41

**4. FIRST AID MEASURES**

**Skin contact:** Wash immediately with plenty of soap and water.  
**Eye contact:** Bathe the eye with running water for 15 minutes.  
**Ingestion:** Wash out mouth with water.  
**Inhalation:** Consult a doctor.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.  
**Exposure hazards:** In combustion emits toxic fumes.  
**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.



**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for disposal considerations.

**7. HANDLING AND STORAGE**

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Nitrile gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Liquid

**Colour:** Pale green

**Odour:** Characteristic odour

**Solubility in water:** Soluble

**Viscosity:** Viscous

**Kinematic visc. 40°C (mm<sup>2</sup>/s):** 20

**Viscosity test method:** Flow time in seconds in a 3 mm ISO cup (ISO 2431)

**Relative density:** 1.001

**pH:** 12

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION****11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**12. ECOLOGICAL INFORMATION**

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

**13. DISPOSAL CONSIDERATIONS**

**Waste code number:** 070601

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** Not Classified.

**IMDG / IMO**

**UN no:** Not Classified.

**IATA / ICAO**

**UN no:** Not Classified.

**15. REGULATORY INFORMATION (CHIP)**

**Hazard symbols:** No significant hazard.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Risk phrases used in s.3:** R38: Irritating to skin.

R41: Risk of serious damage to eyes.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



**SAFETY DATA SHEET**  
LEATHER CARE BALM

Page 1  
Issued: 07/10/2009  
Revision No: 1

**1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING**

**Product name:** LEATHER CARE BALM  
**Product code:** LHB/3/9309  
**Company name:** AUTOGLYM  
Works Road  
Letchworth  
Herts  
SG6 1LU  
UK  
Tel: +44 (0) 1462 677766  
Fax: +44 (0) 1462 677712  
Emergency tel: +44 (0) 1462 489498 (24Hrs)  
Email: sds@autoglym.co.uk

**2. HAZARDS IDENTIFICATION**

**Workplace exposure limit:** This substance does not have a workplace exposure limit.  
**PBT:** This substance is not identified as a PBT substance.  
**Directive 1999/45/EC:** This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

**4. FIRST AID MEASURES**

**Skin contact:** Wash immediately with plenty of soap and water.  
**Eye contact:** Bathe the eye with running water for 15 minutes.  
**Ingestion:** Wash out mouth with water.  
**Inhalation:** Consult a doctor.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.  
**Exposure hazards:** In combustion emits toxic fumes.  
**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.  
**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.  
**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

[cont...]

**7. HANDLING AND STORAGE**

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Emulsion

**Colour:** Beige

**Odour:** Characteristic odour

**Solubility in water:** Miscible

**Kinematic visc. 40°C (mm<sup>2</sup>/s):** <300

**Viscosity test method:** Flow time in seconds in a 3 mm ISO cup (ISO 2431)

**Relative density:** 0.978

**pH:** 7.9 - 8.9

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION****11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**12. ECOLOGICAL INFORMATION**

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

**13. DISPOSAL CONSIDERATIONS**

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** Not Classified.

**IMDG / IMO**

**UN no:** Not Classified.

**IATA / ICAO**

**UN no:** Not Classified.

**15. REGULATORY INFORMATION (CHIP)**

**Hazard symbols:** No significant hazard.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



## SAFETY DATA SHEET

### LEATHER CLEANER

Page 1

Issued: 03/12/2004

Revision No: 2

#### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

**Product name:** LEATHER CLEANER

**Product code:** LCS/RR3/281196

**Use of substance / mixture:** Water based cleaner for leather

**Company name:** AUTOGLYM

Works Road

Letchworth

Herts

SG6 1LU

UK

Tel: +44 (0) 1462 677766

Fax: +44 (0) 1462 677712

Emergency tel: +44 (0) 1462 489498 (24Hrs)

Email: sds@autoglym.co.uk

#### 2. HAZARDS IDENTIFICATION

**Workplace exposure limit:** This substance does not have a workplace exposure limit.

**PBT:** This substance is not identified as a PBT substance.

**Directive 1999/45/EC:** This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** ALKYL AMIDO BETAINE 1-10%

EINECS: 263-058-8 CAS: 61789-40-0

[Xi] R36

- ALKYL POLYGLYCOSIDE 1-10%

CAS: 110615-47-9

[Xi] R36/38

#### 4. FIRST AID MEASURES

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water. Do not induce vomiting.

**Inhalation:** Consult a doctor.

#### 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**Exposure hazards:** In combustion emits toxic fumes.

[cont...]

**SAFETY DATA SHEET**

LEATHER CLEANER

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for disposal considerations.

**7. HANDLING AND STORAGE**

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Nitrile gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Liquid

**Colour:** Colourless

**Solubility in water:** Highly soluble

**Kinematic visc. 40°C (mm<sup>2</sup>/s):** 75

**Viscosity test method:** Flow time in seconds in a 3 mm ISO cup (ISO 2431)

**Relative density:** 1.01

**pH:** 8.0

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION****11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**SAFETY DATA SHEET**

LEATHER CLEANER

**12. ECOLOGICAL INFORMATION**

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

**13. DISPOSAL CONSIDERATIONS**

**Waste code number:** 070601

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION**

**ADR / RID**

**UN no:** Not Classified.

**IMDG / IMO**

**UN no:** Not Classified.

**IATA / ICAO**

**UN no:** Not Classified.

**15. REGULATORY INFORMATION (CHIP)**

**Hazard symbols:** No significant hazard.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Risk phrases used in s.3:** R36: Irritating to eyes.

R36/38: Irritating to eyes and skin.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.





## SAFETY DATA SHEET

### SUPER RESIN POLISH

Page 1

Issued: 04/08/2004

Revision No: 9

#### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

**Product name:** SUPER RESIN POLISH

**Product code:** NO12/ODK1/27493

**Use of substance / mixture:** Polish for use on motor vehicle bodies

**Company name:** AUTOGLYM

Works Road

Letchworth

Herts

SG6 1LU

UK

Tel: +44 (0) 1462 677766

Fax: +44 (0) 1462 677712

Emergency tel: +44 (0) 1462 489498 (24Hrs)

Email: sds@autoglym.co.uk

#### 2. HAZARDS IDENTIFICATION

**Workplace exposure limit:** This substance does not have a workplace exposure limit.

**PBT:** This substance is not identified as a PBT substance.

**Directive 1999/45/EC:** This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** NAPHTHA (PETROLEUM) HYDROTREATED HEAVY 10-30%

EINECS: 265-151-9

[Xn] R65; [-] R10; [-] R66

- DISTILLATES (PETROLEUM) HYDROTREATED LIGHT 1-10%

EINECS: 265-149-8 CAS: 64742-47-8

[Xn] R65; [-] R66

#### 4. FIRST AID MEASURES

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Do not induce vomiting. Wash out mouth with water.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

#### 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

[cont...]

**SAFETY DATA SHEET**  
SUPER RESIN POLISH

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for disposal considerations.

**7. HANDLING AND STORAGE**

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Hazardous ingredients:** NAPHTHA (PETROLEUM) HYDROTREATED HEAVY  
UK - 8 hour TWA: 1000 mg/m<sup>3</sup>

- DISTILLATES (PETROLEUM) HYDROTREATED LIGHT  
UK - 8 hour TWA: 1000 mg/m<sup>3</sup>

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Nitrile gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Liquid

**Colour:** White

**Odour:** Characteristic odour

**Solubility in water:** Not miscible

**Viscosity:** Viscous

**Flash point°C:** 61

**Relative density:** 0.98

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids. Halogens.

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

**11. TOXICOLOGICAL INFORMATION****11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

**12. ECOLOGICAL INFORMATION**

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

**13. DISPOSAL CONSIDERATIONS**

**Waste code number:** 140603

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** Not Classified.

**IMDG / IMO**

**UN no:** Not Classified.

**IATA / ICAO**

**UN no:** Not Classified.

**15. REGULATORY INFORMATION (CHIP)**

**Hazard symbols:** No significant hazard.

**Haz. ingredients (label):** NAPHTHA (PETROLEUM) HYDROTREATED HEAVY

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

[cont...]

**SAFETY DATA SHEET**  
SUPER RESIN POLISH

**Risk phrases used in s.3:** R65: Harmful: may cause lung damage if swallowed.  
R10: Flammable.  
R66: Repeated exposure may cause skin dryness or cracking.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.